PHILIPPINE INFORMATION AGENCY

PIA Bldg, Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF VARIOUS AUDIO AND VIDEO PRODUCTION EQUIPMENT (LOTS 3 & 4)

APPROVED BUDGET FOR THE CONTRACT:

LOT 3 – LED LIGHTS – PHP 150,000.00 LOT 4 – 4-CH HDMI VIDEO SWITCHER – PHP 48,000.00

General Conditions:

- 1. Bidding will be conducted through <u>Small Value Procurement</u> under Section <u>53.9</u> of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
- 2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & Current Mayor's/Business Permit for 2024;
 - b. Valid & Current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 90 days.
- 3. DELIVERY PERIOD: on or before 31 July 2024
- 4. The total price quoted is subject to VAT and other applicable taxes and payable check;
- 5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with <u>Paul John Delos Santos</u> at Telephone number/s <u>8920-4338/0985-3050-095</u>. The Quotation may be submitted through e-mail at <u>paul.delossantos@pia.gov.ph</u> on or before 3 July 2024 @ 5:00 P.M.

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO BAC-CHAIRPERSON

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY	UNIT COST (Php)	TOTAL COST (Php)
	LOT 3: LED LIGHTS			
	LED Tri Color Temperature Video Lights -Power: AC: 85-265V 50Hz-60Hz DC: 12V-24V -Output Power: 25W*6 = 150W -Lumen: 12000LM -Adjustment range: 1/32-1/1 stepless adjustment -Flash Index: more than 90 -Color temperature: 3200K/4200K/5600K (±200K) three step -Temperature protection: YES -Battery: NO -DMX512 function: Double port DMX 512 -LED tube life: 50000 -Dimensions (cm): 63*42*8 -Weight: 4.6 kg	2 pcs.		
	100W LED Fresnel Light, Spotlight, Continuous Light -Power: 100W	2 pcs.		
	 -Voltage: AC90-265V -Dimming range: 20-100W -Color temperature: 5600K -Lamp life: 30,000 hrs. -Luminous flux: 10000LM -Lens diameter: 130mm -Body material: aluminum alloy and steel -Light source: LED -Lighting solutions service: LED Fresnel -Input voltage (V): AC90-265V -Lamp luminous flux (lm): 10000 -CRI (Ra>): 95 -Working Lifetime (Hour): 30000 -Lamp Body Material: Aluminum Alloy -Model Number: JSP-1000LED -Application: studio, video, photography -Wattage: 100W 	2 units		
	 -LED beads quantity: 1024 -Battery: 14.8V Lithium battery (Sony BP-L model lithium battery) (not included) -DC power supply: 13-16.8V -Channel: 16 -Group: 6 groups (A,B,C,D,E,F) -Power: Max. 70W -Color temperature: 5600K±300K -Brightness (lux): 4400 (1m) -Brightness control: Step-less, Remote control -Brightness Range: 10% - 100% -Operation Temperature: -10-50 -Dimension: 430mm x 460mm x 100mm 			
	-Dimension: 430mm x 460mm x 100mm -Net Weight: 2.44 kg.			

Blue Head Lights (LED Video Light)	6 units	
-Color Temperature: 5600K	0 units	
-CRI 93, TLCI 95, R9 80		
-Wireless Dimming Adjustment		
-Rear LCD and On-Board Adjustment Dial		
-Bowens S-Mount		
-Heatsink and Built-In Fan		
-100-240 VAC, 50/60 Hz		
-60W Max Power Consumption		
Suppliers must have years of experience in providing		
video production equipment		
Suppliers must be reputable and have a track record of		
reliable customer support		
ABC: PHP 150,000.00		
LOT 4: 4-CH HDMI VIDEO SWITCHER	1 unit	
-10.1-inch FHD IPS LCD display		
-4x HDMI inputs, support auto-detected		
-2x HDMI PGM output, 1x HDMI Multiview -out,		
1x USB type-C output		
-RTMP/SRT stream and USB disk/SD card		
record		
-AUX output configurable and assignable		
-USB for capturing and streaming on PC		
-Upstream key: Luma key, Chroma key, PIPx2/POP		
-Downstream key and logo overlay		
-T-bar/Auto/Cut transitions; various effects:		
WIPE (11x3 patterns)/MIX/DIP		
-Audio mixer: 4x HDMI embedded audio and 2-		
Ch MIC/line in; audio delay available		
-Media library: 39 default patterns, 16 default		
images, 16 captures images, 2 color generators		
-Customer configuration import and export		
-FTB/MUTE/STILL/GPIO for tally		
Suppliers must have years of experience in providing		
audio equipment		
Suppliers must be reputable and have a track record of		
reliable customer support		
ABC: PHP 48,000.00		

DELIVERY PERIOD: on or before July 31, 2024

PRICE VALIDITY:90 days

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Note: Bidders must state either **"Comply**" or **"Not Comply**" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance	
	LOT 3: LED LIGHTS		
	LED Tri Color Temperature Video Lights Power: AC: 85-265V 50Hz-60Hz DC: 12V-24V Output Power: 25W*6 = 150W Lumen: 12000LM		
	Adjustment range: 1/32-1/1 stepless adjustment Flash Index: more than 90 Color temperature: 3200K/4200K/5600K (±200K) three step Temperature protection: YES Battery: NO		
	DMX512 function: Double port DMX 512 LED tube life: 50000 Dimensions (cm): 63*42*8 Weight: 4.6 kg		
	100W LED Fresnel Light, Spotlight, Continuous Light Power: 100W Voltage: AC90-265V Dimming range: 20-100W		
	Color temperature: 5600K Lamp life: 30,000 hrs. Luminous flux: 10000LM Lens diameter: 130mm Body material: aluminum alloy and steel Light source: LED		
	Lighting solutions service: LED Fresnel Input voltage (V): AC90-265V Lamp luminous flux (lm): 10000 CRI (Ra>): 95 Working Lifetime (Hour): 30000		
	Lamp Body Material: Aluminum Alloy Model Number: JSP-1000LED Application: studio, video, photography Wattage: 100W		
	LED 1000W Video Light Studio Lighting with Wireless Remote Control 5500K Daylight LED Beads quantity: 1024 Battery: 14.8V Lithium battery (Sony BP-L model lithium battery) (not included)		
	DC power supply: 13-16.8V Channel: 16 Group: 6 groups (A,B,C,D,E,F) Power: Max. 70W Color temperature: 5600K±300K		
	Brightness (lux): 4400 (1m) Brightness control: Step-less, Remote control Brightness Range: 10% - 100% Operation Temperature: -10-50		
	Dimension: 430mm x 460mm x 100mm Net Weight: 2.44 kg.		

	[
Blue Head Lights (LED Video Light)	
Color Temperature: 5600K	
CRI 93, TLCI 95, R9 80	
Wireless Dimming Adjustment	
Rear LCD and On-Board Adjustment Dial	
Bowens S-Mount	
Heatsink and Built-In Fan	
100-240 VAC, 50/60 Hz	
60W Max Power Consumption	
-Suppliers must have years of experience in providing video production equipment	
-Suppliers must be reputable and have a track record of reliable	
customer support	
LOT 4: 4-CH HDMI VIDEO SWITCHER	
10.1-inch FHD IPS LCD display	
4x HDMI inputs, support auto-detected	
2x HDMI PGM output, 1x HDMI Multiview out, 1x USB type-C	
output	
RTMP/SRT stream and USB disk/SD card record	
AUX output configurable and assignable	
USB for capturing and streaming on PC	
Upstream key: Luma key, Chroma key, PIPx2/POP	
Downstream key and logo overlay	
T-bar/Auto/Cut transitions; various effects: WIPE (11x3	
patterns)/MIX/DIP	
Audio mixer: 4x HDMI embedded audio and 2-Ch MIC/line in;	
audio delay available	
Media library: 39 default patterns, 16 default images, 16	
captures images, 2 color generators	
Customer configuration import and export	
FTB/MUTE/STILL/GPIO for tally	
-Suppliers must have years of experience in providing audio equipment	
-Suppliers must be reputable and have a track record of reliable customer support	

I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature Over Printed Name Of Authorized Representative Date



Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number	10995402		
Procuring Entity	PHILIPPINE INFORMATION AGENO	CY	
Title	Supply and Delivery of Various Au	idio and Video Production Equipn	nent (Lots 3&4)
Area of Delivery	Metro Manila		
Solicitation Number:	24-06-024	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 198,000.00	De cum ent De cue et Liet	0
Delivery Period:		Document Request List	U
Client Agency:			
		Date Published	28/06/2024
Contact Person:	Paul John Hechanova Delos Santos		
	Administrative Assistant III Visayas Avenue, Diliman, Quezon City Metro Manila	Last Updated / Time	27/06/2024 15:18 PM
	Philippines 1128 63-2-9204338	Closing Date / Time	03/07/2024 17:00 PM
	paul.delossantos@pia.gov.ph		

Description

PHILIPPINE INFORMATION AGENCY PIA Bldg, Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF VARIOUS AUDIO AND VIDEO PRODUCTION EQUIPMENT (LOTS 3 & 4)

APPROVED BUDGET FOR THE CONTRACT:

LOT 3 – LED LIGHTS – PHP 150,000.00 LOT 4 – 4-CH HDMI VIDEO SWITCHER – PHP 48,000.00 1. Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

2. Suppliers are required to submit the following prior to notification by the BAC of the award:

a. Valid & Current Mayor's/Business Permit for 2024;

b. Valid & Current PhilGEPS Registration Certificate/Number;

c. Income Tax Return (for ABCs above P500K)

d. Omnibus Sworn Statement (for ABCs above P50K);

e. Bids should be valid for a period of 90 days.

3. DELIVERY PERIOD: on or before 31 July 2024

4. The total price quoted is subject to VAT and other applicable taxes and payable check;

5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Paul John Delos Santos at Telephone number/s 8920-4338/0985-3050-095. The Quotation may be submitted through e-mail at paul.delossantos@pia.gov.ph on or before 3 July 2024 @ 5:00 P.M.

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO BAC-CHAIRPERSON

ANNEX A SUPPLIER'S QUOTATION

ITEM NO. DESCRIPTION QTY UNIT COST (Php) TOTAL COST (Php)

LOT 3: LED LIGHTS

LED Tri Color Temperature Video Lights 2 pcs. -Power: AC: 85-265V 50Hz-60Hz DC: 12V-24V -Output Power: 25W*6 = 150W-Lumen: 12000LM Adjustment range: 1/32-1/1 stepless adjustment -Flash Index: more than 90 -Color temperature: 3200K/4200K/5600K (±200K) three step -Temperature protection: YES -Battery: NO -DMX512 function: Double port DMX 512 -LED tube life: 50000 -Dimensions (cm): 63*42*8 -Weight: 4.6 kg 100W LED Fresnel Light, Spotlight, Continuous Light 2 pcs. -Power: 100W -Voltage: AC90-265V -Dimming range: 20-100W -Color temperature: 5600K -Lamp life: 30,000 hrs. -Luminous flux: 10000LM -Lens diameter: 130mm -Body material: aluminum alloy and steel -Light source: LED -Lighting solutions service: LED Fresnel -Input voltage (V): AC90-265V -Lamp luminous flux (lm): 10000 -CRI (Ra>): 95 -Working Lifetime (Hour): 30000 -Lamp Body Material: Aluminum Alloy -Model Number: JSP-1000LED -Application: studio, video, photography -Wattage: 100W

LED 1000W Video Light Studio Lighting with Wireless Remote Control 5500K Daylight 2 units

-LED beads quantity: 1024 -Battery: 14.8V Lithium battery (Sony BP-L model lithium battery) (not included) -DC power supply: 13-16.8V -Channel: 16 -Group: 6 groups (A,B,C,D,E,F) -Power: Max. 70W -Color temperature: 5600K±300K -Brightness (lux): 4400 (1m) -Brightness control: Step-less, Remote control -Brightness Range: 10% - 100% -Operation Temperature: -10-50 -Dimension: 430mm x 460mm x 100mm -Net Weight: 2.44 kg. Blue Head Lights (LED Video Light) 6 units -Color Temperature: 5600K -CRI 93, TLCI 95, R9 80 -Wireless Dimming Adjustment -Rear LCD and On-Board Adjustment Dial -Bowens S-Mount -Heatsink and Built-In Fan -100-240 VAC, 50/60 Hz -60W Max Power Consumption Suppliers must have years of experience in providing video production equipment Suppliers must be reputable and have a track record of reliable customer support ABC: PHP 150,000.00 LOT 4: 4-CH HDMI VIDEO SWITCHER 1 unit -10.1-inch FHD IPS LCD display -4x HDMI inputs, support auto-detected -2x HDMI PGM output, 1x HDMI Multiview -out, 1x USB type-C output -RTMP/SRT stream and USB disk/SD card record -AUX output configurable and assignable -USB for capturing and streaming on PC -Upstream key: Luma key, Chroma key, PIPx2/POP -Downstream key and logo overlay -T-bar/Auto/Cut transitions; various effects: WIPE (11x3 patterns)/MIX/DIP -Audio mixer: 4x HDMI embedded audio and 2-Ch MIC/line in; audio delay available -Media library: 39 default patterns, 16 default images, 16 captures images, 2 color generators -Customer configuration import and export -FTB/MUTE/STILL/GPIO for tally Suppliers must have years of experience in providing audio equipment Suppliers must be reputable and have a track record of reliable customer support ABC: PHP 48,000.00 DELIVERY PERIOD: on or before July 31, 2024 PRICE VALIDITY:90 days After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated. Printed Name and Signature Business Name and Address Telephone/Mobile No. and E-mail address Date **Technical Specifications** Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of

the individual parameters of each Specification: Item Specification Statement of Compliance LOT 3: LED LIGHTS LED Tri Color Temperature Video Lights Power: AC: 85-265V 50Hz-60Hz DC: 12V-24V Output Power: 25W*6 = 150W Lumen: 12000LM Adjustment range: 1/32-1/1 stepless adjustment Flash Index: more than 90 Color temperature: 3200K/4200K/5600K (±200K) three step Temperature protection: YES Battery: NO DMX512 function: Double port DMX 512 LED tube life: 50000 Dimensions (cm): 63*42*8 Weight: 4.6 kg 100W LED Fresnel Light, Spotlight, Continuous Light Power: 100W Voltage: AC90-265V Dimming range: 20-100W Color temperature: 5600K Lamp life: 30,000 hrs. Luminous flux: 10000LM Lens diameter: 130mm Body material: aluminum alloy and steel Light source: LED Lighting solutions service: LED Fresnel Input voltage (V): AC90-265V Lamp luminous flux (Im): 10000 CRI (Ra>): 95 Working Lifetime (Hour): 30000 Lamp Body Material: Aluminum Alloy Model Number: JSP-1000LED Application: studio, video, photography Wattage: 100W LED 1000W Video Light Studio Lighting with Wireless Remote Control 5500K Daylight LED Beads quantity: 1024 Battery: 14.8V Lithium battery (Sony BP-L model lithium battery) (not included) DC power supply: 13-16.8V Channel: 16 Group: 6 groups (A,B,C,D,E,F) Power: Max. 70W Color temperature: 5600K±300K Brightness (lux): 4400 (1m) Brightness control: Step-less, Remote control Brightness Range: 10% - 100% **Operation Temperature: -10-50** Dimension: 430mm x 460mm x 100mm Net Weight: 2.44 kg. Blue Head Lights (LED Video Light) Color Temperature: 5600K CRI 93, TLCI 95, R9 80 Wireless Dimming Adjustment Rear LCD and On-Board Adjustment Dial Bowens S-Mount Heatsink and Built-In Fan 100-240 VAC, 50/60 Hz 60W Max Power Consumption Suppliers must have years of experience in providing video production equipment -Suppliers must be reputable and have a track record of reliable customer support LOT 4: 4-CH HDMI VIDEO SWITCHER

10.1-inch FHD IPS LCD display

4x HDMI inputs, support auto-detected 2x HDMI PGM output, 1x HDMI Multiview out, 1x USB type-C output RTMP/SRT stream and USB disk/SD card record AUX output configurable and assignable USB for capturing and streaming on PC Upstream key: Luma key, Chroma key, PIPx2/POP Downstream key and logo overlay T-bar/Auto/Cut transitions; various effects: WIPE (11x3 patterns)/MIX/DIP Audio mixer: 4x HDMI embedded audio and 2-Ch MIC/line in; audio delay available Media library: 39 default patterns, 16 default images, 16 captures images, 2 color generators Customer configuration import and export FTB/MUTE/STILL/GPIO for tally -Suppliers must have years of experience in providing audio equipment -Suppliers must be reputable and have a track record of reliable customer support I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Name of Company/Bidder Signature Over Printed Name Date Of Authorized Representative Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Lot 3	LED LIGHTS	1	Lot	150,000.00
2	Lot 4	4-CH HDMI VIDEO SWITCHER	1	Lot	48,000.00

Created by Ronelio N Hernandez

Date Created 27/06/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap