PHILIPPINE INFORMATION AGENCY

PIA Bldg. Visayas Avenue, Diliman, Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNICATIONS

APPROVED BUDGET FOR THE CONTRACT: LOT 1: Php 60,000.00; LOT 2: Php 45,000.00

General Conditions:

- 1. Bidding will be conducted through <u>Small Value Procurement</u> under Section <u>53.9</u> of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
- 2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & current Mayor's/Business permit for 2024;
 - b. Valid & current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 90 days.
- 3. DELIVERY PERIOD: 60 Days
- 4. The total price quoted is subject to VAT and other applicable taxes and payable check;
- 5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with <u>Teddy Leinne E. Santos</u> at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at <u>teddy.santos@pia.gov.ph</u> or delivered to the address below on or before 5:00 P.M. of 27 September 2024.

Philippine Information Agency $2^{\rm nd}$ Floor Procurement Section Office PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO

BAC- CHAIRPERSON

ANNEX A

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY	UNIT COST (Php)	TOTAL COST (Php)
	SUPPLY AND DELIVERY OF TWO LOTS (2) OF AV COMMUNICATIONS			
	LOT (ONE) 1: Video Switchers			
	Specifications			
	New features * 4 channel auto-detected HDMI inputs* * 1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output * AUX output configurable and assignable * USB-C for capturing and streaming on PC * Clearly visible multiview & status page * Upstream key: Luma key, Chroma key, PIPx2/POP * Downstream key and LOGO overlay * T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/ * Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available * Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators * LAN port for PC software remote control * FTB/MUTE/STILL/GPIO for tally * Customer configuration import and export * Specification * Graphics memory: 32 images * Audio mixing: 2-Channel mixing * Processing resolution: 1080p * Number of video input sources: 4 * Video input connectors:4x HDMI			
	female Input video format: HDMI 1080p Input audio format: Analog Video output channels: 2			

 Output audio format: Analog Monitor output: 1x HDMI Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input. Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live Power connector: 1x barrel (7 to 24 VDC) Input Device: 12 VDC at 1 A (12 W) Power Supply: 12 VDC at 2 A Operating temperature: -4 to 140°F 	
LOT (TWO) 2: Dual Vocal Wireless System (Microphone)	1
Specifications Set type: Dual Vocal Amount of Handhelds: 2 Weight: 245g Height x Width x Depth: 32.0 x 168.0 x 104.5 mm Transmission: Analog Bias via BNC: No High Density Mode: No Interference Detection: No Remote Control: No Number of compatible systems per frequency band: Up to 4 DANTE – Enabled Products: No Detachable Antennas: No Network ability: No Software control: No Logic: No Cascade: No Receiver type: Dual Line Mic Switch: No Image rejection: 50 dB, typical RF Sensitivity: -150 dBm, for 12dB SINAD, typical Phantom Power Protection: No "Nothing Follows"	
TOTAL	,

DELIVERY PERIOD:	
PRICE VALIDITY:	

Printed Name and Signature
Business Name and Address
Telephone/Mobile No. and E-mail a
Date

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as

above-indicated.

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
	SUPPLY AND DELIVERY OF TWO LOTS (2) OF AV COMMUNICATIONS	
	LOT (ONE) 1: Video Switchers	
	Specifications	
	Key features	
	 4 channel auto-detected HDMI inputs 1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output AUX output configurable and assignable USB-C for capturing and streaming on PC Clearly visible multiview & status page Upstream key: Luma key, Chroma key, PIPx2/POP Downstream key and LOGO overlay T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/ Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators LAN port for PC software remote control 	
	FTB/MUTE/STILL/GPIO for tallyCustomer configuration import and export	
	Specifications	
	 Graphics memory: 32 images Audio mixing: 2-Channel mixing Processing resolution: 1080p 	

- Number of video input sources: 4
- Video input connectors:4x HDMI female
- Input video format: HDMI 1080p
- Input audio format: Analog
- Video output channels: 2
- Output audio format: Analog
- Monitor output: 1x HDMI
- Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input.
- Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live
- Power connector: 1x barrel (7 to 24 VDC) Input
- Device: 12 VDC at 1 A (12 W)Power Supply: 12 VDC at 2 A
- Operating temperature: -4 to 140°F

LOT (TWO) 2: Dual Vocal Wireless System (Microphone)

Specifications

Set type: Dual Vocal Amount of Handhelds: 2

Weight: 245g

Height x Width x Depth: $32.0 \times 168.0 \times 104.5 \text{ mm}$

Transmission: Analog Bias via BNC: No High Density Mode: No Interference Detection: No Remote Control: No

Number of compatible systems per frequency

band: Up to 4

DANTE – Enabled Products: No Detachable Antennas: No Network ability: No Software control: No

Logic: No Cascade: No Receiver type: Dual Line Mic Switch: No

Name of Company/Bidder

Image rejection: 50 dB, typical

RF Sensitivity: -150 dBm, for 12dB SINAD, typical

Phantom Power Protection: No

"Nothing Follows"

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Signature Over Printed Name

Of Authorized Representative

Date

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

11281968

Procuring Entity

PHILIPPINE INFORMATION AGENCY

Title

SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNICATIONS

Area of Delivery

Metro Manila

Solicitation Number:	24-09-061; 24-09-062	Status	Pending
Solicitation Number.	24-09-001, 24-09-002	Associated Components	1
Trade Agreement:	Implementing Rules and	Bid Supplements	0
19 AM	Regulations	Document Request List	0
Procurement Mode:	Negotiated Procurement -	Date Published	24/09/2024
r rocarement riode.	Small Value Procurement (Sec. 53.9)	Last Updated / Time	23/09/2024 17:29 PM
		Closing Date / Time	27/09/2024 17:00 PM
Classification:	Goods		
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 105,000.00		
Delivery Period:	60 Day/s		
Client Agency:			
Contact Person:	Teddy Leinne Escuadro Santos Procurement Staff Visayas Avenue, Diliman, Quezon City Metro Manila Philippines 1128 63-2-9204338		
	teddy.santos@pia.gov.ph		

Description

PHILIPPINE INFORMATION AGENCY PIA Bldg. Visayas Avenue, Diliman, Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNICATIONS

APPROVED BUDGET FOR THE CONTRACT: LOT 1: Php 60,000.00; LOT 2: Php 45,000.00

General Conditions:

Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

Suppliers are required to submit the following prior to notification by the BAC of the award:

Valid & current Mayor's/Business permit for 2024; Valid & current PhilGEPS Registration Certificate/Number; Income Tax Return (for ABCs above P500K) Omnibus Sworn Statement (for ABCs above P50K); Bids should be valid for a period of 90 days.

DELIVERY PERIOD: 60 Days

The total price quoted is subject to VAT and other applicable taxes and payable check;

Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before 5:00 P.M. of 20 September 2024.

Philippine Information Agency 2nd Floor Procurement Section Office PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO BAC- CHAIRPERSON ANNEX A SUPPLIER'S QUOTATION ITEM NO. DESCRIPTION QTY UNIT COST (Php) TOTAL COST (Php)

SUPPLY AND DELIVERY OF TWO LOTS (2) OF AV COMMUNICATIONS

LOT (ONE) 1: Video Switchers

Specifications

Key features

4 channel auto-detected HDMI inputs

1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output

AUX output configurable and assignable USB-C for capturing and streaming on PC Clearly visible multiview & status page

Upstream key: Luma key, Chroma key, PIPx2/POP

Downstream key and LOGO overlay

T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/ Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available

Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators

LAN port for PC software remote control

FTB/MUTE/STILL/GPIO for tally

Customer configuration import and export

Specification

Graphics memory: 32 images Audio mixing: 2-Channel mixing Processing resolution: 1080p Number of video input sources: 4 Video input connectors:4x HDMI female Input video format: HDMI 1080p

Input audio format: Analog Video output channels: 2 Output audio format: Analog Monitor output: 1x HDMI

Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input.

Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live

Power connector: 1x barrel (7 to 24 VDC) Input

Device: 12 VDC at 1 A (12 W)

Power Supply: 12 VDC at 2 A Operating temperature: -4 to 140°F

LOT (TWO) 2: Dual Vocal Wireless System (Microphone)

Specifications

Set type: Dual Vocal Amount of Handhelds: 2

Weight: 245g

Height x Width x Depth: 32.0 x 168.0 x 104.5 mm

Transmission: Analog Bias via BNC: No High Density Mode: No Interference Detection: No Remote Control: No

Number of compatible systems per frequency band: Up to 4

DANTE – Enabled Products: No Detachable Antennas: No Network ability: No Software control: No

Logic: No Cascade: No Receiver type: Dual Line Mic Switch: No

Image rejection: 50 dB, typical

RF Sensitivity: -150 dBm, for 12dB SINAD, typical

Phantom Power Protection: No

"Nothing Follows"

1
TOTAL SERVICE OF THE
DELIVERY PERIOD:
PRICE VALIDITY:
After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.
Printed Name and Signature
Business Name and Address
Telephone/Mobile No. and E-mail address
Date
Technical Specifications Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:
Item Specification Statement of Compliance
SUPPLY AND DELIVERY OF TWO LOTS (2) OF AV COMMUNICATIONS
LOT (ONE) 1: Video Switchers
Specifications

Key features

4 channel auto-detected HDMI inputs

1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output

AUX output configurable and assignable USB-C for capturing and streaming on PC Clearly visible multiview & status page

Upstream key: Luma key, Chroma key, PIPx2/POP

Downstream key and LOGO overlay

T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/ Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available

Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators

LAN port for PC software remote control

FTB/MUTE/STILL/GPIO for tally

Customer configuration import and export

Specifications

Graphics memory: 32 images
Audio mixing: 2-Channel mixing
Processing resolution: 1080p
Number of video input sources: 4
Video input connectors: 4x HDMI female
Input video format: HDMI 1080p
Input audio format: Analog

Input video format: HDMI 10
Input audio format: Analog
Video output channels: 2
Output audio format: Analog
Monitor output: 1x HDMI

Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input.

Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live

Power connector: 1x barrel (7 to 24 VDC) Input

Device: 12 VDC at 1 A (12 W)
Power Supply: 12 VDC at 2 A
Operating temperature: -4 to 140°F

LOT (TWO) 2: Dual Vocal Wireless System (Microphone)

Specifications Set type: Dual Vocal Amount of Handhelds: 2

Weight: 245g

Height x Width x Depth: 32.0 x 168.0 x 104.5 mm

Transmission: Analog Bias via BNC: No High Density Mode: No Interference Detection: No

Remote Control: No

Number of compatible systems per frequency band: Up to 4

DANTE – Enabled Products: No Detachable Antennas: No Network ability: No Software control: No

Logic: No Cascade: No Receiver type: Dual Line Mic Switch: No

Image rejection: 50 dB, typical

RF Sensitivity: -150 dBm, for 12dB SINAD, typical

Phantom Power Protection: No

"Nothing Follows"

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Of Authorized Representative

Line Items

Item No.	Product/Service Name	Description	Quantity	MOU	Budget (PHP)
1	SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNIC	SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNICATIONS	2	Lot	60,000.00
2	SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNIC	SUPPLY AND DELIVERY OF TWO (2) LOTS OF AV COMMUNICATIONS	1	Lot	45,000.00

Created by

Ronelio N Hernandez

Date Created

23/09/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap