

**PHILIPPINE INFORMATION AGENCY**  
PIA Bldg. Visayas Avenue, Diliman, Quezon City

**REQUEST FOR QUOTATION (RFQ)**

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: **SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPMENT**

APPROVED BUDGET FOR THE CONTRACT: **LOT 1: Php 31,500.00; LOT 2: Php 25,000.00**

**General Conditions:**

1. Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
2. Suppliers are required to submit the following prior to notification by the BAC of the award:
  - a. Valid & current Mayor's/Business permit for 2024;
  - b. Valid & current PhilGEPS Registration Certificate/Number;
  - c. Income Tax Return (for ABCs above P500K)
  - d. Omnibus Sworn Statement (for ABCs above P50K);
  - e. Bids should be valid for a period of 90 days.
3. DELIVERY PERIOD: **60 Days**
4. The total price quoted is subject to VAT and other applicable taxes and payable check;
5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at [teddy.santos@pia.gov.ph](mailto:teddy.santos@pia.gov.ph) or delivered to the address below on or before 5:00 P.M. of 30 September 2024.

Philippine Information Agency  
2<sup>nd</sup> Floor Procurement Section Office  
PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

**ATTY. ALLAN VINCENT B. LORENZO**  
BAC- CHAIRPERSON

## SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY	UNIT COST (Php)	TOTAL COST (Php)
	<p><b>SUPPLY AND DELIVERY OF TWO LOTS (2) OF ICT EQUIPMENT</b></p> <p><b>LOT (ONE) 1: PEN TABLET</b></p> <p><b>Specifications</b></p> <p><b>Appearance</b></p> <ul style="list-style-type: none"> <li>• Dimension: 546 x 323 x 19~26.7 mm</li> <li>• Working Area: 476.64 x 268.11 mm</li> <li>• Net Weight: 3.9KG (With Stand)</li> <li>• Touch: -</li> <li>• Stand: Adjustable Stand 20°~80°</li> <li>• Video Interface: USB-C, Full-Featured USB-C</li> </ul> <p><b>Screen</b></p> <ul style="list-style-type: none"> <li>• Resolution: 1920 x 1080 (16:9)</li> <li>• LCD Type: IPS</li> <li>• AG Glass: Anti-glare etched glass</li> <li>• Full Lamination: YES</li> <li>• Contrast Ratio: 1200:1</li> <li>• Brightness: 250cd/m2 (Max.)</li> <li>• Response Time: 14ms</li> <li>• Viewing Angle: 89°/89°(H)/89°/89°(V)(Typ.)(CR &gt; 10)</li> <li>• Gamut Volume: 140% sRGB</li> <li>• Display Color: 16.7M(8bit)</li> </ul> <p><b>Technical Specifications</b></p> <ul style="list-style-type: none"> <li>• Digital Pen: PW517</li> <li>• Pen Technology: Battery-Free Electromagnetic Resonance</li> <li>• Pen Resolution: 5080LPI</li> <li>• Pressure Sensitivity: 8192Levels</li> <li>• Tilt Support: ±60°</li> <li>• Sensing Height: 10mm</li> <li>• Report Rate: &gt;220PPS</li> <li>• Accuracy: ±0.3mm (center) ± 2mm (corner)</li> <li>• Press Keys: :-</li> </ul> <p><b>Operating Conditions</b></p> <ul style="list-style-type: none"> <li>• Input Voltage: AC 100-240V, 50/60Hz</li> <li>• Output Voltage: 12V 3A</li> </ul> <p><b>OS Compatibility</b></p> <ul style="list-style-type: none"> <li>• Windows 7 or later</li> <li>• macOS 10.12 or later</li> <li>• Android (USB3.1 DP 1.2)</li> <li>• Linux</li> </ul>	1		

<p><b>LOT (TWO) 2: ALL IN ONE (1) PRINTER (PRINT, SCAN, COPY)</b></p> <p><b>Specifications</b> The supplier is expected to provide one pen tablet that meets the following specification:</p> <p><b>Printer Type:</b> Print, Scan Copy</p> <p>Print Method: Precision Core Printhead</p> <p>Printer Language: ESC/P-R, ESC/P Raster</p> <p>Nozzle Configuration: 400 X 1 nozzles Black, 128 x 1 per Colour (Cyan, Magenta, Yellow)</p> <p>Maximum Resolution: 4800 x 1200 dpi</p> <p>Automatic 2 – sided Printing: Yes (Up to A4)</p> <p><b>Print Speed:</b></p> <p>Photo Default – 10 x 15 cm / 4 x 6 “*1: prox. 69 sec per photo *2 / 92 sec per photo*2</p> <p>Draft, A4 (Black / Colour): Up to 33.0 ppm/20.0 ppm*2</p> <p>First Page Out Time from Ready Mode (Black / Colour): Approx. 9 sec / 15 sec*2</p> <p><b>Copy Function:</b></p> <p>Maximum Copy Size: A4, Letter</p> <p>Copy Resolution: 600 x 600 dpi</p> <p>Max Copies: 99 copies</p> <p><b>Copying:</b></p> <p>ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 11.0 ipm / 5.5 ipm</p> <p><b>Scanning:</b></p> <p>Scanner Type: Flatbed colour image scanner</p> <p>Sensor Type: CIS</p> <p>Scan Speed:</p>	1		
--	---	--	--

	<p>Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec</p> <p><b>Paper Handling:</b></p> <p>Number of Paper Trays: 1</p> <p>Standard Paper Input Capacity: Up to 250. sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper</p> <p>Output Capacity: Up to 30 sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper</p> <p>Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")</p> <p>Paper Size: Legal (8.5 x 14"), 8.5 x 13", Letter, A4, B5, A5, A6, Hagaki (100 x 148 mm), 16K (195 x 270 mm), Indian-Legal (215 x 345 mm), B6, 5 x 7", 4 x 6", Envelopes #10, DL, C6</p> <p><b>Operating System Compatibility:</b></p> <p>Windows XP SP3 / XP Professional x64 SP2 / Vista / 7 / 8 / 8.1 / 10</p> <p>Window Server 2003 / 2008 / 2012/ 2016 / 2019</p> <p>Only printing and scanning functions are supported for Windows Server OS</p> <p>OS X 10.6.8 or later</p> <p><b>Interface:</b></p> <p>USB: USB 2.0</p> <p>Network: Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct</p> <p>Control Panel:</p> <p>LCD Screen: 2.4" Colour</p> <p>"Nothing Follows"</p>			
	<b>TOTAL</b>			

DELIVERY PERIOD: \_\_\_\_\_

PRICE VALIDITY: \_\_\_\_\_

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

\_\_\_\_\_  
*Printed Name and Signature*

\_\_\_\_\_  
*Business Name and Address*

\_\_\_\_\_  
*Telephone/Mobile No. and E-mail address*

\_\_\_\_\_  
*Date*

### Technical Specifications

Note: Bidders must state either “Comply” or “Not Comply” in the column “Statement of Compliance” against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
	<p><b>SUPPLY AND DELIVERY OF TWO LOTS (2) OF ICT EQUIPMENT</b></p> <p><b>LOT (ONE) 1: PEN TABLET</b></p> <p><b>Specifications</b></p> <p><b>Appearance</b></p> <ul style="list-style-type: none"><li>• Dimension: 546 x 323 x 19~26.7 mm</li><li>• Working Area: 476.64 x 268.11 mm</li><li>• Net Weight: 3.9KG (With Stand)</li><li>• Touch: -</li><li>• Stand: Adjustable Stand 20°~80°</li><li>• Video Interface: USB-C, Full-Featured USB-C</li></ul> <p><b>Screen</b></p> <ul style="list-style-type: none"><li>• Resolution: 1920 x 1080 (16:9)</li><li>• LCD Type: IPS</li><li>• AG Glass: Anti-glare etched glass</li><li>• Full Lamination: YES</li><li>• Contrast Ratio: 1200:1</li><li>• Brightness: 250cd/m2 (Max.)</li><li>• Response Time: 14ms</li><li>• Viewing Angle: 89°/89°(H)/89°/89°(V)(Typ.)(CR &gt; 10)</li><li>• Gamut Volume: 140% sRGB</li><li>• Display Color: 16.7M(8bit)</li></ul> <p><b>Technical Specifications</b></p>	

	<ul style="list-style-type: none"> <li>• Digital Pen: PW517</li> <li>• Pen Technology: Battery-Free Electromagnetic Resonance</li> <li>• Pen Resolution: 5080LPI</li> <li>• Pressure Sensitivity: 8192Levels</li> <li>• Tilt Support: <math>\pm 60^\circ</math></li> <li>• Sensing Height: 10mm</li> <li>• Report Rate: &gt;220PPS</li> <li>• Accuracy: <math>\pm 0.3\text{mm}</math> (center) <math>\pm 2\text{mm}</math> (corner)</li> <li>• Press Keys: :-</li> </ul> <p><b>Operating Conditions</b></p> <ul style="list-style-type: none"> <li>• Input Voltage: AC 100-240V, 50/60Hz</li> <li>• Output Voltage: 12V 3A</li> </ul> <p><b>OS Compatibility</b></p> <ul style="list-style-type: none"> <li>• Windows 7 or later</li> <li>• macOS 10.12 or later</li> <li>• Android (USB3.1 DP 1.2)</li> <li>• Linux</li> </ul> <p><b>LOT (TWO) 2: ALL IN ONE (1) PRINTER (PRINT, SCAN, COPY)</b></p> <p><b>Specifications</b> The supplier is expected to provide one pen tablet that meets the following specification:</p> <p><b>Printer Type:</b> Print, Scan Copy</p> <p>Print Method: Precision Core Printhead</p> <p>Printer Language: ESC/P-R, ESC/P Raster</p> <p>Nozzle Configuration: 400 X 1 nozzles Black, 128 x 1 per Colour (Cyan, Magenta, Yellow)</p> <p>Maximum Resolution: 4800 x 1200 dpi</p> <p>Automatic 2 – sided Printing: Yes (Up to A4)</p> <p><b>Print Speed:</b></p> <p>Photo Default – 10 x 15 cm / 4 x 6 “*1: prox. 69 sec per photo *2 / 92 sec per photo*2</p> <p>Draft, A4 (Black / Colour): Up to 33.0 ppm/20.0 ppm*2</p> <p>First Page Out Time from Ready Mode (Black / Colour): Approx. 9 sec / 15 sec*2</p> <p><b>Copy Function:</b></p> <p>Maximum Copy Size: A4, Letter</p> <p>Copy Resolution: 600 x 600 dpi</p> <p>Max Copies: 99 copies</p>	
--	--	--

	<p><b>Copying:</b></p> <p>ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 11.0 ipm / 5.5 ipm</p> <p><b>Scanning:</b></p> <p>Scanner Type: Flatbed colour image scanner</p> <p>Sensor Type: CIS</p> <p>Scan Speed:</p> <p>Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec</p> <p><b>Paper Handling:</b></p> <p>Number of Paper Trays: 1</p> <p>Standard Paper Input Capacity: Up to 250. sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper</p> <p>Output Capacity: Up to 30 sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper</p> <p>Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")</p> <p>Paper Size: Legal (8.5 x 14"), 8.5 x 13", Letter, A4, B5, A5, A6, Hagaki (100 x 148 mm), 16K (195 x 270 mm), Indian-Legal (215 x 345 mm), B6, 5 x 7", 4 x 6", Envelopes #10, DL, C6</p> <p><b>Operating System Compatibility:</b></p> <p>Windows XP SP3 / XP Professional x64 SP2 / Vista / 7 / 8 / 8.1 / 10</p> <p>Window Server 2003 / 2008 / 2012/ 2016 / 2019</p> <p>Only printing and scanning functions are supported for Windows Server OS</p> <p>OS X 10.6.8 or later</p> <p><b>Interface:</b></p> <p>USB: USB 2.0</p> <p>Network: Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct</p> <p>Control Panel:</p> <p>LCD Screen: 2.4" Colour</p> <p style="text-align: center;">"Nothing Follows"</p>	
--	--	--

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name  
Of Authorized Representative

\_\_\_\_\_  
Date





## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 11282053  
**Procuring Entity** PHILIPPINE INFORMATION AGENCY  
**Title** SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPMENT  
**Area of Delivery** Metro Manila

<b>Solicitation Number:</b>	24-09-063;24-09-064	<b>Status</b>	<b>Pending</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	1
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	0
<b>Category:</b>	Information Technology	<b>Date Published</b>	25/09/2024
<b>Approved Budget for the Contract:</b>	PHP 56,500.00	<b>Last Updated / Time</b>	23/09/2024 17:43 PM
<b>Delivery Period:</b>	60 Day/s	<b>Closing Date / Time</b>	30/09/2024 17:00 PM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Teddy Leinne Escudro Santos Procurement Staff Visayas Avenue, Diliman, Quezon City Metro Manila Philippines 1128 63-2-9204338  teddy.santos@pia.gov.ph		

#### Description

PHILIPPINE INFORMATION AGENCY  
PIA Bldg. Visayas Avenue, Diliman, Quezon City

#### REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPMENT

APPROVED BUDGET FOR THE CONTRACT: LOT 1: Php 31,500.00; LOT 2: Php 25,000.00

#### General Conditions:

Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

Suppliers are required to submit the following prior to notification by the BAC of the award:  
Valid & current Mayor's/Business permit for 2024;

Valid & current PhilGEPS Registration Certificate/Number;  
Income Tax Return (for ABCs above P500K)  
Omnibus Sworn Statement (for ABCs above P50K);  
Bids should be valid for a period of 90 days.

DELIVERY PERIOD: 60 Days

The total price quoted is subject to VAT and other applicable taxes and payable check;

Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before 5:00 P.M. of 23 September 2024.

Philippine Information Agency  
2nd Floor Procurement Section Office  
PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO  
BAC- CHAIRPERSON

ANNEX A  
SUPPLIER'S QUOTATION  
ITEM NO. DESCRIPTION QTY UNIT COST  
(Php) TOTAL COST  
(Php)

SUPPLY AND DELIVERY OF TWO LOTS (2) OF ICT EQUIPMENT

LOT (ONE) 1: PEN TABLET

Specifications

Appearance  
Dimension: 546 x 323 x 19~26.7 mm  
Working Area: 476.64 x 268.11 mm  
Net Weight: 3.9KG (With Stand)  
Touch: -  
Stand: Adjustable Stand 20°~80°  
Video Interface: USB-C, Full-Featured USB-C  
Screen  
Resolution: 1920 x 1080 (16:9)  
LCD Type: IPS  
AG Glass: Anti-glare etched glass  
Full Lamination: YES  
Contrast Ratio: 1200:1  
Brightness: 250cd/m2 (Max.)  
Response Time: 14ms  
Viewing Angle: 89°/89°(H)/89°/89°(V)(Typ.)(CR>10)  
Gamut Volume: 140% sRGB  
Display Color: 16.7M(8bit)

Technical Specifications  
Digital Pen: PW517  
Pen Technology: Battery-Free Electromagnetic Resonance  
Pen Resolution: 5080LPI  
Pressure Sensitivity: 8192Levels  
Tilt Support: ±60°  
Sensing Height: 10mm  
Report Rate: >220PPS  
Accuracy: ±0.3mm (center) ±2mm (corner)  
Press Keys: :-  
Operating Conditions

Input Voltage: AC 100-240V, 50/60Hz  
Output Voltage: 12V 3A  
OS Compatibility  
Windows 7 or later  
macOS 10.12 or later  
Android (USB3.1 DP 1.2)  
Linux

LOT (TWO) 2: ALL IN ONE (1) PRINTER (PRINT, SCAN, COPY)

Specifications

The supplier is expected to provide one pen tablet that meets the following specification:

Printer Type: Print, Scan Copy

Print Method: Precision Core Printhead

Printer Language: ESC/P-R, ESC/P Raster

Nozzle Configuration: 400 X 1 nozzles Black, 128 x 1 per Colour (Cyan, Magenta, Yellow)

Maximum Resolution: 4800 x 1200 dpi

Automatic 2 – sided Printing: Yes (Up to A4)

Print Speed:

Photo Default – 10 x 15 cm / 4 x 6 " \*1: prox. 69 sec per photo \*2 / 92 sec per photo\*2

Draft, A4 (Black / Colour): Up to 33.0 ppm/20.0 ppm\*2

First Page Out Time from Ready Mode (Black / Colour): Approx. 9 sec / 15 sec\*2

Copy Function:

Maximum Copy Size: A4, Letter

Copy Resolution: 600 x 600 dpi

Max Copies: 99 copies

Copying:

ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 11.0 ipm / 5.5 ipm

Scanning:

Scanner Type: Flatbed colour image scanner

Sensor Type: CIS

Scan Speed:

Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec

Paper Handling:

Number of Paper Trays: 1

Standard Paper Input Capacity: Up to 250. sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper

Output Capacity: Up to 30 sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper

Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")

Paper Size: Legal (8.5 x 14"), 8.5 x 13", Letter, A4, B5, A5, A6, Hagaki (100 x 148 mm), 16K (195 x 270 mm),

Indian-Legal (215 x 345 mm), B6, 5 x 7", 4 x 6", Envelopes #10, DL, C6

Operating System Compatibility:

Windows XP SP3 / XP Professional x64 SP2 / Vista / 7 / 8 / 8.1 / 10

Window Server 2003 / 2008 / 2012/ 2016 / 2019

Only printing and scanning functions are supported for Windows Server OS

OS X 10.6.8 or later

Interface:

USB: USB 2.0

Network: Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct

Control Panel:

LCD Screen: 2.4" Colour

"Nothing Follows"



1

TOTAL

DELIVERY PERIOD: \_\_\_\_\_

PRICE VALIDITY: \_\_\_\_\_

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

\_\_\_\_\_  
Printed Name and Signature

\_\_\_\_\_  
Business Name and Address

\_\_\_\_\_  
Telephone/Mobile No. and E-mail address

\_\_\_\_\_  
Date

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item Specification Statement of Compliance

SUPPLY AND DELIVERY OF TWO LOTS (2) OF ICT EQUIPMENT

LOT (ONE) 1: PEN TABLET

Specifications

Appearance

Dimension: 546 x 323 x 19~26.7 mm

Working Area: 476.64 x 268.11 mm

Net Weight: 3.9KG (With Stand)

Touch: -

Stand: Adjustable Stand 20°~80°

Video Interface: USB-C, Full-Featured USB-C

Screen

Resolution: 1920 x 1080 (16:9)

LCD Type: IPS

AG Glass: Anti-glare etched glass

Full Lamination: YES

Contrast Ratio: 1200:1

Brightness: 250cd/m2 (Max.)

Response Time: 14ms

Viewing Angle: 89°/89°(H)/89°/89°(V)(Typ.)(CR>10)

Gamut Volume: 140% sRGB

Display Color: 16.7M(8bit)

Technical Specifications

Digital Pen: PW517

Pen Technology: Battery-Free Electromagnetic Resonance

Pen Resolution: 5080LPI

Pressure Sensitivity: 8192Levels

Tilt Support: ±60°

Sensing Height: 10mm

Report Rate: >220PPS

Accuracy: ±0.3mm (center) ±2mm (corner)

Press Keys: :-

Operating Conditions

Input Voltage: AC 100-240V, 50/60Hz

Output Voltage: 12V 3A

OS Compatibility

Windows 7 or later

macOS 10.12 or later

Android (USB3.1 DP 1.2)

Linux

LOT (TWO) 2: ALL IN ONE (1) PRINTER (PRINT, SCAN, COPY)

Specifications

The supplier is expected to provide one pen tablet that meets the following specification:

Printer Type: Print, Scan Copy

Print Method: Precision Core Printhead

Printer Language: ESC/P-R, ESC/P Raster

Nozzle Configuration: 400 X 1 nozzles Black, 128 x 1 per Colour (Cyan, Magenta, Yellow)

Maximum Resolution: 4800 x 1200 dpi

Automatic 2 – sided Printing: Yes (Up to A4)

Print Speed:

Photo Default – 10 x 15 cm / 4 x 6 " \*1: prox. 69 sec per photo \*2 / 92 sec per photo\*2

Draft, A4 (Black / Colour): Up to 33.0 ppm/20.0 ppm\*2

First Page Out Time from Ready Mode (Black / Colour): Approx. 9 sec / 15 sec\*2

Copy Function:

Maximum Copy Size: A4, Letter

Copy Resolution: 600 x 600 dpi

Max Copies: 99 copies

Copying:

ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 11.0 ipm / 5.5 ipm

Scanning:

Scanner Type: Flatbed colour image scanner

Sensor Type: CIS

Scan Speed:

Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec

Paper Handling:

Number of Paper Trays: 1

Standard Paper Input Capacity: Up to 250. sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy

Photo Paper

Output Capacity: Up to 30 sheets of Plain Paper (80 g/ m2), Up to 20 sheets of Premium Glossy Photo Paper

Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")

Paper Size: Legal (8.5 x 14"), 8.5 x 13", Letter, A4, B5, A5, A6, Hagaki (100 x 148 mm), 16K (195 x 270 mm), Indian-Legal (215 x 345 mm), B6, 5 x 7", 4 x 6", Envelopes #10, DL, C6

Operating System Compatibility:

Windows XP SP3 / XP Professional x64 SP2 / Vista / 7 / 8 / 8.1 / 10

Window Server 2003 / 2008 / 2012/ 2016 / 2019

Only printing and scanning functions are supported for Windows Server OS

OS X 10.6.8 or later

Interface:

USB: USB 2.0

Network: Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct

Control Panel:

LCD Screen: 2.4" Colour

"Nothing Follows"

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

\_\_\_\_\_  
Name of Company/Bidder Signature Over Printed Name Date  
Of Authorized Representative

#### Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPME	SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPMENT	1	Lot	31,500.00
2	SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPME	SUPPLY AND DELIVERY OF TWO (2) LOTS OF ICT EQUIPMENT	1	Lot	25,000.00

**Created by** Ronelio N Hernandez

**Date Created** 23/09/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.