

PHILIPPINE INFORMATION AGENCY
PIA Bldg. Visayas Avenue, Diliman, Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: **SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER**

APPROVED BUDGET FOR THE CONTRACT: **Php 60,000.00**

General Conditions:

1. Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & current Mayor's/Business permit for 2024;
 - b. Valid & current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 30 days.
3. DELIVERY PERIOD: **60 Days**
4. The total price quoted is subject to VAT and other applicable taxes and payable check;
5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before 5:00 P.M. of 17 October (Thursday) 2024 .

Philippine Information Agency
2nd Floor Procurement Section Office
PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC- CHAIRPERSON

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY	UNIT COST (Php)	TOTAL COST (Php)
	<p><u>SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER</u></p> <p>Specifications:</p> <p>Key features</p> <ul style="list-style-type: none"> • 4 channel auto-detected HDMI inputs • 1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output • AUX output configurable and assignable • USB-C for capturing and streaming on PC • Clearly visible multiview & status page • Upstream key: Luma key, Chroma key, PIPx2/POP • Downstream key and LOGO overlay • T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) / MIX/DIP/ • Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available • Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators • LAN port for PC software remote control • FTB/MUTE/STILL/GPIO for tally • Customer configuration import and export <p>Specifications:</p> <ul style="list-style-type: none"> • Graphics memory: 32 images • Audio mixing: 2-Channel mixing • Processing resolution: 1080p • Number of video input sources: 4 • Video input connectors: 4x HDMI female 	2		

	<ul style="list-style-type: none"> • Input video format: HDMI 1080p • Input audio format: Analog • Video output channels: 2 • Output audio format: Analog • Monitor output: 1x HDMI • Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input. • Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live • Power connector: 1x barrel (7 to 24 VDC) Input • Device: 12 VDC at 1 A (12 W) • Power Supply: 12 VDC at 2 A • Operating temperature: -4 to 140°F • Storage temperature: -22 to 158°F • Dimensions: 9.63 x 5.64 x 1.75" • Weight 2.3 lb • Package weight: 3.23 lb • Box dimensions (LxWxH):13" x 7.7" x 3.5" <p><i>"Nothing Follows"</i></p>	1		
	TOTAL			

DELIVERY PERIOD: _____

PRICE VALIDITY: _____

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Date

Technical Specifications

Note: Bidders must state either “Comply” or “Not Comply” in the column “Statement of Compliance” against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance
	<p><u>SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER</u></p> <p>Specifications:</p> <p>Key features:</p> <ul style="list-style-type: none"> • 4 channel auto-detected HDMI inputs • 1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output • AUX output configurable and assignable • USB-C for capturing and streaming on PC • Clearly visible multiview & status page • Upstream key: Luma key, Chroma key, PIPx2/POP • Downstream key and LOGO overlay • T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/ • Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available • Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators • LAN port for PC software remote control • FTB/MUTE/STILL/GPIO for tally • Customer configuration import and export <p>Specifications:</p> <ul style="list-style-type: none"> • Graphics memory: 32 images • Audio mixing: 2-Channel mixing • Processing resolution: 1080p • Number of video input sources: 4 • Video input connectors:4x HDMI female • Input video format: HDMI 1080p • Input audio format: Analog • Video output channels: 2 • Output audio format: Analog • Monitor output: 1x HDMI • Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input. 	

	<ul style="list-style-type: none"> • Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live • Power connector: 1x barrel (7 to 24 VDC) Input • Device: 12 VDC at 1 A (12 W) • Power Supply: 12 VDC at 2 A • Operating temperature: -4 to 140°F • Storage temperature: -22 to 158°F • Dimensions: 9.63 x 5.64 x 1.75" • Weight 2.3 lb • Package weight: 3.23 lb • Box dimensions (LxWxH):13" x 7.7" x 3.5" <p><i>"Nothing Follows"</i></p>	
--	--	--

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature Over Printed Name
Of Authorized Representative

Date



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11353291
Procuring Entity PHILIPPINE INFORMATION AGENCY
Title SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER
Area of Delivery Metro Manila

Solicitation Number:	24-09-061	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Audio and Visual Equipment	Date Published	14/10/2024
Approved Budget for the Contract:	PHP 60,000.00	Last Updated / Time	11/10/2024 15:56 PM
Delivery Period:	60 Day/s	Closing Date / Time	17/10/2024 17:00 PM
Client Agency:			
Contact Person:	Teddy Leinne Escudro Santos Procurement Staff Visayas Avenue, Diliman, Quezon City Metro Manila Philippines 1128 63-2-9204338 teddy.santos@pia.gov.ph		

Description

PHILIPPINE INFORMATION AGENCY
PIA Bldg. Visayas Avenue, Diliman, Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER

APPROVED BUDGET FOR THE CONTRACT: Php 60,000.00

General Conditions:

Bidding will be conducted through Small Value Procurement under Section 53.9 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

Suppliers are required to submit the following prior to notification by the BAC of the award:

Valid & current Mayor's/Business permit for 2024;
Valid & current PhilGEPS Registration Certificate/Number;

Income Tax Return (for ABCs above P500K)
Omnibus Sworn Statement (for ABCs above P50K);
Bids should be valid for a period of 30 days.

DELIVERY PERIOD: 60 Days

The total price quoted is subject to VAT and other applicable taxes and payable check;

Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before 5:00 P.M. of 17 October (Thursday) 2024

Philippine Information Agency
2nd Floor Procurement Section Office
PIA Bldg. Visayas Ave., Diliman, Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC- CHAIRPERSON

ANNEX A
SUPPLIER'S QUOTATION

ITEM NO. DESCRIPTION QTY UNIT COST
(Php) TOTAL COST
(Php)

SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER

Specifications:

Key features

4 channel auto-detected HDMI inputs
1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output
AUX output configurable and assignable
USB-C for capturing and streaming on PC
Clearly visible multiview & status page
Upstream key: Luma key, Chroma key, PIPx2/POP
Downstream key and LOGO overlay
T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/
Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available
Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators
LAN port for PC software remote control
FTB/MUTE/STILL/GPIO for tally
Customer configuration import and export

Specifications:

Graphics memory: 32 images
Audio mixing: 2-Channel mixing
Processing resolution: 1080p
Number of video input sources: 4
Video input connectors: 4x HDMI female

Input video format: HDMI 1080p
Input audio format: Analog
Video output channels: 2
Output audio format: Analog
Monitor output: 1x HDMI
Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input.
Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live
Power connector: 1x barrel (7 to 24 VDC) Input
Device: 12 VDC at 1 A (12 W)

Power Supply: 12 VDC at 2 A
Operating temperature: -4 to 140°F
Storage temperature: -22 to 158°F
Dimensions: 9.63 x 5.64 x 1.75"
Weight 2.3 lb
Package weight: 3.23 lb
Box dimensions (LxWxH):13" x 7.7" x 3.5"

"Nothing Follows"

2

1

TOTAL

DELIVERY PERIOD: _____

PRICE VALIDITY: _____

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Date

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item Specification Statement of Compliance

SUPPLY AND DELIVERY OF TWO (2) UNITS VIDEO SWITCHER

Specifications:

Key features:

4 channel auto-detected HDMI inputs
1 x HDMI PGM output, 1 x HDMI multiview out, 1 x USB type -C output
AUX output configurable and assignable
USB-C for capturing and streaming on PC
Clearly visible multiview & status page
Upstream key: Luma key, Chroma key, PIPx2/POP
Downstream key and LOGO overlay
T-bar/Auto/Cut transitions; various effects: WIPE (9x2 patterns) /MIX/DIP/
Auto mixer: HDMI embedded audio and 2-Ch MIC/line In; audio delay available
Media library: 49 default patterns, 16 imported images, 16 captured images, 2 color generators
LAN port for PC software remote control
FTB/MUTE/STILL/GPIO for tally
Customer configuration import and export

Specifications:

Graphics memory: 32 images
Audio mixing: 2-Channel mixing
Processing resolution: 1080p
Number of video input sources: 4
Video input connectors:4x HDMI female
Input video format: HDMI 1080p
Input audio format: Analog
Video output channels: 2
Output audio format: Analog
Monitor output: 1x HDMI
Other I/O: 1x DE-15/DB-15 tally input, 1 x RJ45 LAN input/output, 1 x USB type-a firmware, Service input.

Compatible services: Facebook Live, Livestream, Skype, Twitch, YouTube Live
Power connector: 1x barrel (7 to 24 VDC) Input

Device: 12 VDC at 1 A (12 W)
Power Supply: 12 VDC at 2 A
Operating temperature: -4 to 140°F
Storage temperature: -22 to 158°F
Dimensions: 9.63 x 5.64 x 1.75"
Weight 2.3 lb
Package weight: 3.23 lb
Box dimensions (LxWxH): 13" x 7.7" x 3.5"

"Nothing Follows"

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature Over Printed Name Date
Of Authorized Representative

Created by Ronelio N Hernandez

Date Created 11/10/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.