

PHILIPPINE INFORMATION AGENCY
PIA Bldg., Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: **SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT**
(SOUND SYSTEM)

APPROVED BUDGET FOR THE CONTRACT: **Php 149,600.00**

General Conditions:

1. Bidding will be conducted through Small Value Procurement under Section 53.6 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."
2. Suppliers are required to submit the following prior to notification by the BAC of the award:
 - a. Valid & current Mayor's/Business permit for 2024;
 - b. Valid & current PhilGEPS Registration Certificate/Number;
 - c. Income Tax Return (for ABCs above P500K)
 - d. Omnibus Sworn Statement (for ABCs above P50K);
 - e. Bids should be valid for a period of 90 days.

3. DELIVERY PERIOD: 10-20 Working Days

4. The total price quoted is subject to VAT and other applicable taxes and payable check;
5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before **5:00 P.M of 21 November (Thursday) 2024.**

Philippine Information Agency
2nd Floor Procurement Section Office
PIA Bldg. Visayas Ave. Diliman Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC-CHAIRPERSON

ANNEX A**SUPPLIER'S QUOTATION**

ITEM NO.	DESCRIPTION	QTY.	UNIT COST (Php)	TOTAL COST (Php)
	<u>SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)</u>			
	Wireless Conference System Main Unit TCM 1000V	1 unit		
	Power Amplifier PA-500	1 unit		
	Power Amplifier 600 watts @ 8-Ohms	1 unit		
	Mixer w/ USB Interface	1 unit		
	Wall Speaker BS-1030	4 unit		
	L1V1 Multi-Camera VideoMixer Swicher LCD Screen 4 HDMI Input USB 3.0 LiveStream	1 unit		
	“Nothing Follows”			

DELIVERY PERIOD: _____

PRICE VALIDITY: _____

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

*Printed Name and Signature*_____
*Business Name and Address*_____
*Telephone/Mobile No. and E-mail address*_____
Date

Technical Specifications

Note: Bidders must state either “Comply” or “Not Comply” in the column “Statement of Compliance” against each of the individual parameters of each Specification:

Item	Specification	Statement of Compliance										
	<p><u>SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)</u></p> <p>Technical Specifications</p> <p>Sound system</p> <table><tr><th>Item description</th><th>Quantity/Unit</th></tr><tr><td><p>1. Wireless conference system main unit</p><ul style="list-style-type: none">- w/ Bluetooth, Built-in 16 Channel WIFI Frequencies, Record & Play Function, FIFO Mode, 50-Meters Max Distance, XLR & PL Output</td><td>1 unit</td></tr></table> <p>Audio/Video system</p> <table><tr><td><p>2. Power amplifier PA-500</p><ul style="list-style-type: none">- 1000W X 2 RMS Power Amplifier- 2 X 1000W @ 8 Ohms- 2 X 1500W @ 4 Ohms- 2 X 3000W @ 2 Ohms- 3000W @ 8 Ohms Bridge- 4000W @ 4 Ohms Bridge- Size: 48cm x 53cm x 13cm- Weight: 31 kilos</td><td>1 unit</td></tr><tr><td><p>3. Power Amplifier 600 watts @ 8 Ohms</p><ul style="list-style-type: none">- 600W Professional Class H Power Amplifier with 20Hz-20KHz Frequency- Balance/Unbalance 3-Pin XLR Input and 2 Speak on Terminals- LED Indicators with Dual Variable Speed Fans</td><td>1 unit</td></tr><tr><td><p>4. Mixer with USB interface</p><ul style="list-style-type: none">- 16-Channel Mixing Console- Max. 6 Mic / 16 Line Inputs (4 mono + 3 stereo)- 2GROUP Buses + 1 Stereo Bus- 2 AUX (incl. FX)- “D-PRE” mic preamps with an inverted Darlington circuit- 1-Knob compressors- High-grade effects: SPX with 24 programs</td><td>1 unit</td></tr></table>	Item description	Quantity/Unit	<p>1. Wireless conference system main unit</p> <ul style="list-style-type: none">- w/ Bluetooth, Built-in 16 Channel WIFI Frequencies, Record & Play Function, FIFO Mode, 50-Meters Max Distance, XLR & PL Output	1 unit	<p>2. Power amplifier PA-500</p> <ul style="list-style-type: none">- 1000W X 2 RMS Power Amplifier- 2 X 1000W @ 8 Ohms- 2 X 1500W @ 4 Ohms- 2 X 3000W @ 2 Ohms- 3000W @ 8 Ohms Bridge- 4000W @ 4 Ohms Bridge- Size: 48cm x 53cm x 13cm- Weight: 31 kilos	1 unit	<p>3. Power Amplifier 600 watts @ 8 Ohms</p> <ul style="list-style-type: none">- 600W Professional Class H Power Amplifier with 20Hz-20KHz Frequency- Balance/Unbalance 3-Pin XLR Input and 2 Speak on Terminals- LED Indicators with Dual Variable Speed Fans	1 unit	<p>4. Mixer with USB interface</p> <ul style="list-style-type: none">- 16-Channel Mixing Console- Max. 6 Mic / 16 Line Inputs (4 mono + 3 stereo)- 2GROUP Buses + 1 Stereo Bus- 2 AUX (incl. FX)- “D-PRE” mic preamps with an inverted Darlington circuit- 1-Knob compressors- High-grade effects: SPX with 24 programs	1 unit	
Item description	Quantity/Unit											
<p>1. Wireless conference system main unit</p> <ul style="list-style-type: none">- w/ Bluetooth, Built-in 16 Channel WIFI Frequencies, Record & Play Function, FIFO Mode, 50-Meters Max Distance, XLR & PL Output	1 unit											
<p>2. Power amplifier PA-500</p> <ul style="list-style-type: none">- 1000W X 2 RMS Power Amplifier- 2 X 1000W @ 8 Ohms- 2 X 1500W @ 4 Ohms- 2 X 3000W @ 2 Ohms- 3000W @ 8 Ohms Bridge- 4000W @ 4 Ohms Bridge- Size: 48cm x 53cm x 13cm- Weight: 31 kilos	1 unit											
<p>3. Power Amplifier 600 watts @ 8 Ohms</p> <ul style="list-style-type: none">- 600W Professional Class H Power Amplifier with 20Hz-20KHz Frequency- Balance/Unbalance 3-Pin XLR Input and 2 Speak on Terminals- LED Indicators with Dual Variable Speed Fans	1 unit											
<p>4. Mixer with USB interface</p> <ul style="list-style-type: none">- 16-Channel Mixing Console- Max. 6 Mic / 16 Line Inputs (4 mono + 3 stereo)- 2GROUP Buses + 1 Stereo Bus- 2 AUX (incl. FX)- “D-PRE” mic preamps with an inverted Darlington circuit- 1-Knob compressors- High-grade effects: SPX with 24 programs	1 unit											

	<ul style="list-style-type: none"> - 24-bit / 192kHz 2in / 2out USB Audio functions - Works with the iPad (2 or later) through the Apple iPad Camera Connection Kit /Lightning to USB Camera Adapter - Includes Cubase AI DAW software download version - Cubasis LE for iPad available at App Store - PAD switch on mono inputs - +48V phantom power - Internal Universal Power Supply for world-wide use - XLR balanced outputs - Metal chassis - Dimensions (WxHxD): 308mm x 118 mm x 422 mm (12.1" x 4.6" x 16.6") - Net Weight: 4.2 kg (9.3 lbs.) 		
	5. Wall Speaker <ul style="list-style-type: none"> - Enclosure: 2-way bass-reflex type - Rated Input: 30 W - Sound Pressure Level: 90 dB (1 W, 1 m) - Frequency Response: 80 Hz – 20 kHz - Speaker Component: 12 cm cone-type + dome-type - Speaker Cord: 2-core cabtyre with diameter of 6 mm 	4 units	
	6. Video switcher <ul style="list-style-type: none"> - L1V1 Multi-Camera VideoMixer Switcher - LCD Screen 4 HDMI Input USB 3.0 - 4-Channel Livestream HDMI/USB 	1 unit	
	<p>Service Requirements</p> <p>Available repair and service center within the Philippines</p>		

	<p>Payment Procedure and Terms</p> <p>The winning bidder shall submit a Bank Account number to this office, preferably Landbank Account to facilitate fast payment and implement within (20) business days upon full completion of Purchase Order P.O/Contract.</p> <p>Inspection and Tests</p> <p>Actual inspection of units by the representative of the Philippine Information Agency upon delivery.</p> <p>Warranty</p> <p>Three Years</p>	
--	---	--

I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature Over Printed Name
Of Authorized Representative

Date



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Help

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11464411
Procuring Entity PHILIPPINE INFORMATION AGENCY
Title SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)
Area of Delivery Metro Manila

Solicitation Number:	24-10-111	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Audio and Visual Equipment	Date Published	12/11/2024
Approved Budget for the Contract:	PHP 149,600.00	Last Updated / Time	11/11/2024 19:00 PM
Delivery Period:	20 Day/s	Closing Date / Time	21/11/2024 17:00 PM
Client Agency:			
Contact Person:	Teddy Leinne Escudro Santos Procurement Staff Visayas Avenue, Diliman, Quezon City Metro Manila Philippines 1128 63-2-9204338 teddy.santos@pia.gov.ph		

Description

PHILIPPINE INFORMATION AGENCY
PIA Bldg., Visayas Avenue, Diliman Quezon City

REQUEST FOR QUOTATION (RFQ)

The Philippine Information Agency (PIA), through its Bids and Awards Committee (BAC), hereby invites all interested suppliers to quote their lowest price on the items listed in the Suppliers Quotation Form (Annex A) subject to the General Conditions stated herein.

NAME OF PROJECT: SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)

APPROVED BUDGET FOR THE CONTRACT: Php 149,600.00

General Conditions:

1. Bidding will be conducted through Small Value Procurement under Section 53.6 of the Revised Implementing Rules and Regulations (IRR) of Republic Act. No. 9184, otherwise known as the "Government Procurement Reform Act."

2. Suppliers are required to submit the following prior to notification by the BAC of the award:
a. Valid & current Mayor's/Business permit for 2024;

- b. Valid & current PhilGEPS Registration Certificate/Number;
- c. Income Tax Return (for ABCs above P500K)
- d. Omnibus Sworn Statement (for ABCs above P50K);
- e. Bids should be valid for a period of 90 days.

3. DELIVERY PERIOD: 10-20 Working Days

4. The total price quoted is subject to VAT and other applicable taxes and payable check;

5. Payment shall be prepared through Advice to Debit Account upon receipt of the supplier's Statement of Account, subject to deduction of applicable taxes.

For further inquiries, please coordinate with Teddy Leinne E. Santos at Telephone Number 8920-4338 and Mobile Number 0938-945-6834. The Quotation may be submitted through e-mail at teddy.santos@pia.gov.ph or delivered to the address below on or before 5:00 P.M of 21 November (Thursday) 2024.

Philippine Information Agency
2nd Floor Procurement Section Office
PIA Bldg. Visayas Ave. Diliman Quezon City

The Philippine Information Agency (PIA) reserves the right to accept or reject any or all Quotations/Bids, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder(s), and to accept offer that is most advantageous to the Government.

ATTY. ALLAN VINCENT B. LORENZO
BAC-CHAIRPERSON

ANNEX A

SUPPLIER'S QUOTATION

ITEM NO.	DESCRIPTION	QTY.	UNIT	COST
	(Php) TOTAL COST			
	(Php)			

SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)

Wireless Conference System Main Unit TCM 1000V

Power Amplifier PA-500

Power Amplifier 600 watts @ 8-Ohms

Mixer w/ USB Interface

Wall Speaker BS-1030

L1V1 Multi-Camera VideoMixer Swicher LCD Screen 4 HDMI Input USB 3.0 LiveStream

"Nothing Follows"

1 unit

1 unit

1 unit

1 unit

4 unit

1 unit

DELIVERY PERIOD: _____

PRICE VALIDITY: _____

After having carefully read, understood and accepted the conditions specified in the Request for Quotation, Technical Specification and Terms of Reference, I/We quote on the item(s) at prices as above-indicated.

Printed Name and Signature

Business Name and Address

Telephone/Mobile No. and E-mail address

Date

Technical Specifications

Note: Bidders must state either "Comply" or "Not Comply" in the column "Statement of Compliance" against each of the individual parameters of each Specification:

Item Specification Statement of Compliance

SUPPLY AND DELIVERY OF AUDIO VISUAL EQUIPMENT (SOUND SYSTEM)

Technical Specifications

Sound system

Item description Quantity/Unit

1. Wireless conference system main unit

- w/ Bluetooth, Built-in 16 Channel WIFI Frequencies, Record & Play Function, FIFO Mode, 50-Meters Max Distance, XLR & PL Output 1 unit

Audio/Video system

2. Power amplifier PA-500

- 1000W X 2 RMS Power Amplifier
- 2 X 1000W @ 8 Ohms
- 2 X 1500W @ 4 Ohms
- 2 X 3000W @ 2 Ohms
- 3000W @ 8 Ohms Bridge
- 4000W @ 4 Ohms Bridge
- Size: 48cm x 53cm x 13cm
- Weight: 31 kilos 1 unit

3. Power Amplifier 600 watts @ 8 Ohms

- 600W Professional Class H Power Amplifier with 20Hz-20KHz Frequency
- Balance/Unbalance 3-Pin XLR Input and 2 Speak on Terminals
- LED Indicators with Dual Variable Speed Fans 1 unit

4. Mixer with USB interface 1 unit

- 16-Channel Mixing Console
- Max. 6 Mic / 16 Line Inputs (4 mono + 3 stereo)
- 2 GROUP Buses + 1 Stereo Bus
- 2 AUX (incl. FX)
- "D-PRE" mic preamps with an inverted Darlington circuit
- 1-Knob compressors
- High-grade effects: SPX with 24 programs
- 24-bit / 192kHz 2in / 2out USB Audio functions
- Works with the iPad (2 or later) through the Apple iPad Camera Connection Kit /Lightning to USB Camera Adapter

Adapter

- Includes Cubase AI DAW software download version
- Cubasis LE for iPad available at App Store
- PAD switch on mono inputs
- +48V phantom power
- Internal Universal Power Supply for world-wide use
- XLR balanced outputs
- Metal chassis
- Dimensions (WxHxD): 308mm x 118 mm x 422 mm (12.1" x 4.6" x 16.6")
- Net Weight: 4.2 kg (9.3 lbs.)

5. Wall Speaker

- Enclosure: 2-way bass-reflex type
- Rated Input: 30 W
- Sound Pressure Level: 90 dB (1 W, 1 m)
- Frequency Response: 80 Hz – 20 kHz
- Speaker Component: 12 cm cone-type + dome-type
- Speaker Cord: 2-core cabtyre with diameter of 6 mm 4 units

6. Video switcher

- L1V1 Multi-Camera VideoMixer Switcher
- LCD Screen 4 HDMI Input USB 3.0
- 4-Channel Livestream HDMI/USB 1 unit

Service Requirements

Available repair and service center within the Philippines

Payment Procedure and Terms

The winning bidder shall submit a Bank Account number to this office, preferably Landbank Account to facilitate fast payment and implement within (20) business days upon full completion of Purchase Order P.O/Contract.

Inspection and Tests

Actual inspection of units by the representative of the Philippine Information Agency upon delivery.

Warranty

Three Years

I hereby certify that the statement of compliance to the forgoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder Signature Over Printed Name Date
Of Authorized Representative

Created by Ronelio N Hernandez

Date Created 11/11/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.